



California Regional Water Quality Control Board

San Diego Region



Matthew Rodriguez
Secretary for Environmental
Protection

Over 50 Years Serving San Diego, Orange, and Riverside Counties
Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA

Edmund G. Brown Jr
Governor

9174 Sky Park Court, Suite 100, San Diego, California 92123-4353
(858) 467-2952 • Fax (858) 571-6972
[http:// www.waterboards.ca.gov/sandiego](http://www.waterboards.ca.gov/sandiego)

March 15, 2012

In reply refer to:
631631: CMEANS

Mr. Christopher Toth
Deputy Director
City of San Diego Metropolitan Wastewater
9150 Topaz Way
San Diego, CA 92123

Dear Mr. Toth:


**SUBJECT: Notification of Category 1 Sanitary Sewer Overflow (SSO) Violations
City of San Diego Collection System WDID 9SSO10658**

The California Regional Water Quality Board, San Diego Region (San Diego Water Board) has completed a review of Category 1 SSO events in the California Integrated Water Quality System (CIWQS) Online SSO Reporting Database to verify violations of Discharge Prohibitions contained in the State Water Resources Control Board Order No. 2006-0003-DWQ, Statewide Waste Discharge Requirements for Sanitary Sewer Systems. This review covered SSO events certified during the period from April to December 2011.

Order No. 2006-0003-DWQ prohibits the discharge of untreated or partially treated wastewater that creates a nuisance or results in a discharge to waters of the United States. Therefore, Category 1 SSO events generally violate the prohibitions. The San Diego Water Board has updated CIWQS violation records associated with the following certified Category 1 SSO events to show these as violations.

CIWQS EVENT ID	CIWQS VIOLATION ID	SSO LOCATION	SSO DATE
765551	896455	4861 Barbarossa Place	04/14/2011
766494	899175	6536 Comly Street	05/14/2011
766614	899420	4460 Teralta Place	05/16/2011
766960	900795	Cottonwood Road	05/28/2011
767005	900899	6900 Federal Boulevard	05/31/2011
768264	904330	Point Loma Avenue	07/08/2011
769490	906011	2934 Lincoln Avenue	08/04/2011
770305	907072	6588 Federal Boulevard	08/24/2011
770901	908482	3848 Sorrento Valley Boulevard	09/08/2011
770903	908509	401 35 th Street	09/08/2011
771872	910633	838 Bancroft Street	10/08/2011

California Environmental Protection Agency



CIWQS EVENT ID	CIWQS VIOLATION ID	SSO LOCATION	SSO DATE
772324	911536	3529 Tompkins Street	10/22/2011
772795	912214	1921 Monroe Avenue	11/05/2011
773714	913660	Rosecrans Street	12/04/2011
774212	914235	1747 Pacific Highway	12/08/2011

CIWQS violation reports are publicly available at
http://www.waterboards.ca.gov/water_issues/programs/ciwqs/publicreports.shtml

Please continue to take steps necessary to ensure that violations of this type do not occur in the future. These violations are subject to possible further enforcement action by the San Diego Water Board, including administrative enforcement orders, administrative assessment of civil liability in amounts up to \$10,000 per day, referral to the State Attorney General for injunctive relief, and referral to the District Attorney for criminal prosecution.

For questions pertaining to the subject matter, please contact Christopher Means at (858) 637-5581 or by email at cmeans@waterboards.ca.gov.

PLEASE INCLUDE "631631: CMEANS" IN THE SUBJECT LINE OF FUTURE CORRESPONDENCE.

Respectfully,



Christopher Means
Environmental Scientist
Compliance and Assurance Unit

CJM:dj

cc via email:

James Fischer, State Water Board, Office of Enforcement, jfischer@waterboards.ca.gov
Russell Norman, State Water Board, SSO Program, rnorman@waterboards.ca.gov

CIWQS Place ID 631631
Reg. Measure No. 383428
Party ID 8700